## **EAST Search History**

## **EAST Search History (Prior Art)**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	US-20030147537-\$.DID. OR US-20030039234-\$. DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/01 12:18
S2	0	"2003039234"	US-PGPUB; USPAT	OR	ON	2008/12/01 12:20
S3	2	"20030039234"	US-PGPUB; USPAT	OR	ON	2008/12/01 12:20
S4	10740	(mobile near3 ip) mipv	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 14:58
S5	319	S4 and (authenticat\$3 aaa) and (eap (extensible near3 authentication near3 protocol))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 14:59
S6	141344	"455"/.clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 14:59
<b>S</b> 7	86	S5 and S6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 14:59
<b>S</b> 8	2	S5 and ((passthrough pass\$1through (pass adj1 through)) with transport)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 15:00

S9	78	S5 and ((passthrough pass\$1through (pass adj1 through)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 15:01
S10	77	S9 not italia	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 15:01
S11	76	S10 not S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 15:01
S12	11	(GERARDO GIARETTA) or (IVANO GUARDINI) or (ELENA DEMARIA)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/12/01 15:07
S13	4	S12 and aaa	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/12/01 15:07
S14	781	((passthrough pass \$1through (pass adj1 through)) with transport).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 15:09
S15	5350	italia	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 15:09
S16	1	S14 and (S12 S15)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 15:09

S17	1	(authenticat\$4 with protocol with (passthrough pass \$1through (pass adj1 through)) with transport).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 15:10
S18	1	(authenticat\$4 with (passthrough pass \$1through (pass adj1 through)) with transport).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 15:10
S19	1	(authenticat\$4 same (passthrough pass \$1through (pass adj1 through)) with transport).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 15:10
S20	10848	(mobile near3 ip) mipv \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 15:12
S21	326	S20 and (authenticat\$3 aaa) and (eap (extensible near3 authentication near3 protocol))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 15:13
S22	2	S21 and ((passthrough pass\$1through (pass adj1 through)) with transport)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 15:13
S23	105	S21 and (hotspot hot \$1spot (hot adj1 spot))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 15:18
S24	1	"10588450"	US-PGPUB; USPAT	OR	ON	2008/12/01 15:30
<b>S</b> 25	53	ipv\$1 with diameter	US-PGPUB; USPAT	OR	ON	2008/12/01 15:33
S26	12	S25 and (authenticat\$3 aaa) and (eap (extensible near3 authentication near3 protocol))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 15:33

S27	3	2003/0147537	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 15:38
S28	0	"200300147537"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 15:39
S29	0	"200300147537".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 15:39
S30	0	"2003/0147537".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/01 15:39
S31	1	"10588450"	US-PGPUB; USPAT	OR	ON	2008/12/02 12:36
S32	661	diameter with aaa	US-PGPUB; USPAT	OR	ON	2008/12/02 12:39
S33	106672	"455"/.clas.	US-PGPUB; USPAT	OR	ON	2008/12/02 12:39
S34	87	S32 and S33	US-PGPUB; USPAT	OR	ON	2008/12/02 12:39
S35	119	S32 and eap	US-PGPUB; USPAT	OR	ON	2008/12/02 12:46
<b>S</b> 36	1	S35 and ((passthrough pass\$1through (pass adj1 through)) with transport)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 12:47
\$37	36	S35 and ((passthrough pass\$1through (pass adj1 through)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 12:47
S38	375	home with address with identifier with mobile	US-PGPUB; USPAT	OR	ON	2008/12/02 16:41
<b>S</b> 39	146	S33 and S38	US-PGPUB; USPAT	OR	ON	2008/12/02 16:41

S40	85	request\$4 with home with address with identifier with mobile	US-PGPUB; USPAT	OR	ON	2008/12/02 16:42
S41	74	duplicate with address with home	US-PGPUB; USPAT	OR	ON	2008/12/02 16:54
S42	19	S33 and S41	US-PGPUB; USPAT	OR	ON	2008/12/02 16:54
S43	172872	duplicate ajd3 address adj4 detect\$4	US-PGPUB; USPAT	OR	ON	2008/12/02 16:55
S44	148847	duplicate ajd3 home adj3 address adj4 detect \$4	US-PGPUB; USPAT	OR	ON	2008/12/02 16:55
S45	0	duplicate adj3 home adj3 address adj4 detect \$4	US-PGPUB; USPAT	OR	ON	2008/12/02 16:55
S46	2	duplicate adj3 home adj3 address	US-PGPUB; USPAT	OR	ON	2008/12/02 16:55
S47	34	duplicate with address with home with detect\$4	US-PGPUB; USPAT	OR	ON	2008/12/02 16:56
S48	1	allocat\$4 with prevent\$4 with duplicate with address with home with detect\$4	US-PGPUB; USPAT	OR	ON	2008/12/02 17:03
S49	1	allocat\$4 with prevent\$4 with address with home with detect\$4	US-PGPUB; USPAT	OR	ON	2008/12/02 17:03
S50	1	duplicate with prevent\$4 with address with home with detect\$4	US-PGPUB; USPAT	OR	ON	2008/12/02 17:03
S51	2	duplicate with prevent\$4 with address with home	US-PGPUB; USPAT	OR	ON	2008/12/02 17:03
S52	1	"10588450"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 15:12
S53	20	maino near3 fabio	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 15:14
S54	2	S53 and AAA with secure	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 15:14

S55	170	AAA with secur\$5 with ip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 15:16
S56	50	S55 and eap	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 15:16
S57	5	AAA with secur\$5 with ip with transparen\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 15:17
S58	1	(US-20070230453-\$). did.	US-PGPUB	OR	OFF	2009/07/29 15:48
<b>S</b> 59	1	S58 and options with service	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 15:49
S60	1	(US-20070124592-\$). did.	US-PGPUB	OR	OFF	2009/07/29 15:51
S61	1	S60 and (authori\$7 with user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 15:51
S62	0	S60 and options with service	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 15:52
S63	1	S60 and service	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 15:53
S64	1	S60 and ip with service	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 15:53

S65	829	options with ip with service	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/30 13:50
S66	5	options near5 ip near5 mobile near5 service	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/30 13:51
S67	19	parameter near5 ip near5 mobile near5 service	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/30 13:52
S68	257	multiple near3 ((care near3 of near3 address) coa c\$1o\$1a)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/10 18:07
S69	3	(multiple near3 ((care near3 of near3 address) coa c\$1o\$1a)) near5 (option configuration parameter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/10 18:07
S70	6	(multiple near3 ((care near3 of near3 address) coa c\$1o\$1a)) and (mobile near3 ip near3 service)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/10 18:08
S71	1	(US-20070124592-\$). did.	US-PGPUB	OR	OFF	2009/11/10 18:11
S72	0	S71 and rcoa	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/10 18:11
S73	0	S71 and ( ((care near3 of near3 address) coa c \$1o\$1a))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/10 18:11

S74	12	(multiple near3 ((care near3 of near3 address) coa c\$1o\$1a)) and ( ip near3 service)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/10 18:14
S75	10	(multiple near3 ((care near3 of near3 address) coa c\$1o\$1a)) near5 (register\$4 registration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/10 18:16
S76	43	S68 and (mobile near3 ip)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/10 18:18
S77	23	(multiple near3 ((care near3 of near3 address) coa c\$10\$1a)) with (transmit\$4 send\$4 request\$4 choos \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/10 18:22
S78	0	S71 and multiple	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/10 18:24
S79	1	S71 and address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/10 18:24
S80	4	US-20030147537-\$.DID. OR US-20030039234-\$. DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/10 18:24
S81	0	S80 and options	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/10 18:24

S82	1	"10588450"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/10 18:25
S83	1	S82 and options	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/10 18:25
S84	2	(multiple near3 ((care near3 of near3 address) coa c\$1o\$1a)) near5 (select\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/10 18:27
S85	21	(multiple near3 ((care near3 of near3 address) coa c\$1o\$1a)) same (register\$4 registration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/10 18:27
S86	27	(multiple near3 ((care near3 of near3 address) coa c\$1o\$1a)) same (transmit\$4 send\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/10 18:29
S87	98	ip near3 service near3 option	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/10 18:36
S88	1	S71 and qos	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/10 19:07
S89	59	multiple near3 care near3 address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/10 19:12

## **EAST Search History (Interference)**

<This search history is empty>

11/10/2009 8:45:37 PM

C:\ Documents and Settings\ mmapa\ My Documents\ EAST\ Workspaces\ 10588450 METHOD AND SYSTEM FOR THE SECURE AND TRANSPARENT PROVISION OF MOBILE IP SERVICES IN AN AAA ENVIRONMENT.wsp